


Create new property

Properties

Properties are the characteristics used to describe a Type of an Object. There are a lot of properties which are common and used to describe many Objects like Name, Address, Description, etc. A lot of those properties are already created in the default LAPIS installation. If the properties which were initially set with system default installation are not the ones you are used to or don't describe the Types you would like to see in your LAPIS system, we allow you to change their possible values, to create new properties and to change the way they are listed on the page or to choose which property from the existing ones to assign to your type. So, before creating a new property it is good to search your LAPIS database for the existing ones. All properties are marked with the sign listed here




The screenshot shows the LAPIS application interface. At the top, there is a navigation bar with the Profuz logo and menu items: Create New, My Area, Operations, Workflows, and Administration. A search bar contains the query "[:types INHERITS \"Property\"]". Below the search bar, there is a sidebar with navigation options: Explorer, Filter results, Folder of Administra..., Examples, Categories, Messages, Search Sessions, and Bookmarks. The main content area displays search results in a table format. The table has columns for Title, First Details, Second Details, Types, Created At, and User Updated At. The results list various properties such as "Minutes to Round to (Integer)", "Client ([:types INHERITS \"Contact\"] AND [:contactType I...", "To (Immediate Value)", "From (Immediate Value)", "Restrictions (Restriction)", "Base Types (Type)", "Java Type (Symbol)", "Properties (Property)", "Instance Thumbnail (Thumbnail Hash)", "Additional Types Properties (Property)", "Is Versioned by Default (Integer)", "Default Instance Permissions (Permissions Restricted H...", "Properties View Placement (Properties Placement Restr...", "Properties Edit Placement (Properties Placement Restr...", and "Properties New Placement (Properties Placement Restr...". Each row includes a count and creation/update dates. At the bottom, there is a pagination control showing "1-15/200+" and a footer with copyright information and links for About, Licenses, License Agreement, and Help.

| Title | First Details | Second Details | Types | Created At | User Updated At |
|--|--------------------|----------------|----------|-----------------------|-----------------------|
| Minutes to Round to (Integer) | Count: Zero or one | | Property | Nov 12, 2024, 3:53 PM | Nov 12, 2024, 3:53 PM |
| Client ([:types INHERITS "Contact"] AND [:contactType I... | Count: Zero or one | | Property | Nov 12, 2024, 2:35 PM | Nov 12, 2024, 2:35 PM |
| To (Immediate Value) | Count: Exactly 1 | | Property | Nov 8, 2024, 9:01 AM | Nov 8, 2024, 9:01 AM |
| From (Immediate Value) | Count: Exactly 1 | | Property | Nov 8, 2024, 9:01 AM | Nov 8, 2024, 9:01 AM |
| Restrictions (Restriction) | Count: Any | | Property | Nov 8, 2024, 9:01 AM | Nov 8, 2024, 9:01 AM |
| Base Types (Type) | Count: Any | | Property | Nov 8, 2024, 8:58 AM | Nov 8, 2024, 8:58 AM |
| Java Type (Symbol) | Count: Zero or one | | Property | Nov 8, 2024, 8:58 AM | Nov 8, 2024, 8:58 AM |
| Properties (Property) | Count: Any | | Property | Nov 8, 2024, 8:58 AM | Nov 8, 2024, 8:58 AM |
| Instance Thumbnail (Thumbnail Hash) | Count: Zero or one | | Property | Nov 8, 2024, 8:58 AM | Nov 8, 2024, 8:58 AM |
| Additional Types Properties (Property) | Count: Any | | Property | Nov 8, 2024, 8:58 AM | Nov 8, 2024, 8:58 AM |
| Is Versioned by Default (Integer) | Count: Zero or one | | Property | Nov 8, 2024, 8:58 AM | Nov 8, 2024, 8:58 AM |
| Default Instance Permissions (Permissions Restricted H... | Count: Any | | Property | Nov 8, 2024, 8:58 AM | Nov 8, 2024, 8:58 AM |
| Properties View Placement (Properties Placement Restr... | Count: Any | | Property | Nov 8, 2024, 8:58 AM | Nov 8, 2024, 8:58 AM |
| Properties Edit Placement (Properties Placement Restr... | Count: Any | | Property | Nov 8, 2024, 8:58 AM | Nov 8, 2024, 8:58 AM |
| Properties New Placement (Properties Placement Restr... | Count: Any | | Property | Nov 8, 2024, 8:58 AM | Nov 8, 2024, 8:58 AM |

The property holds different types of data such as Number, Strings, Date, Color, List, Symbol, Boolean and many more. Many types of data, as the ones listed here before, are already created in the Default LAPIS installation, but new ones can be defined by you or by us upon request. Usually, you will need to create a new property if there isn't an existing one matching your needs for defining your specific Type(s).


Create New Property

To create a new property, you will have to go to Application Main Menu, choose Create New -> Other



Search for type Property

Search for Property type select it and click Save.



When you do it, the following page will open to fill in with your information:

Created by administrator on 11/16/2024, 6:59:26 PM

Standard edit ▾ Collaborators: administrator

Name * Count * From 0 To ∞

Display Name * +

Property Type * Filter... 🔍

Query

Cancel Create 13

In the **Name** field, you have to define a name of the property used to identify it. Usually it is a unique name, but if you chose an existing name, it is possible to overwrite a property used in some Type with your own property. The Name field must be written without any spaces. **Count** defines the number of values this property will contain as data. From 0 to 1 means that there can be no or one value. From 1 to 1 means that there will be only one value and this value is mandatory. If these fields are greater than 1, this property will contain multiple values. From 0 to ∞ means that there is no limitation on the number of values.

Display Name is used to define what you will see in the User Interface. Display Name can be defined in one or multiple languages. For adding Display Name in other languages, please click on the “+” sign and chose the language(s) one by one.

Created by administrator on 11/16/2024, 6:59:26 PM

My New Property () (Draft-Property) Collaborators: administrator

Standard edit ▾

Name * myNewProperty Count * From 0 To ∞

Display Name * My New Property +

Property Type * Filter... 🔍

Query

Cancel Create 6

Created by administrator on 11/16/2024, 6:59:26 PM

My New Property () (Draft-Property)

Standard edit ▾ Collaborators: administrator

Name * myNewProperty Count * From 0 To ∞

Display Name * Ma nouvelle propriété

English français

Property Type * Filter...

Query

Cancel Create 14

Created by administrator on 11/16/2024, 6:59:26 PM

My New Property (String) (Draft-Property)

Standard edit ▾ Collaborators: administrator

Name * myNewProperty Count * From 0 To ∞

Display Name * Ma nouvelle propriété

English français

Property Type * String

Query

Cancel Create 15

Property Type defines the format of the data and its interpretation. In the example above the chosen String property type allows textual data in multiple languages.

In order to see all default created properties, use the following search:

```
([:types INHERITS "Type"] AND ([:baseTypes ( INHERITS "ImmediateValue" )])) SORT BY :id
```

Revision #2

Created 15 November 2024 15:57:17 by Pierre

Updated 16 November 2024 17:05:41 by Pierre