



Create user defined metadata fields

To Create user defined metadata field:

1. Press the “Create New” drop down menu from Profuz LAPIS header. Then select “Other”
2. In the newly appeared window type “property” as shown below:



3. In the newly appeared window input the desired new custom metadata and press “Create” as shown below:




Hint: Don't forget to set Count value, best practice is 0 to 1. Means field will have 1 entry/value. If you would like it to have multiple values, set "from" to 0 and leave "to" empty. From Property Type select "String" if data will be added as normal text

NOW WE ARE READY TO ASSIGN THE METADATA TO ANY VIDEO MEDIA ASSET WHICH THE CUSTOMER ADDED BY FOLLOWING THE STEPS BELOW:

1. Type in search box: VIDEO
2. From results listed choose Video File Meta Type



3. From taskbar select Actions→EDIT or click the edit button next to the properties field
4. From Properties window search and add already created custom metadata name.



5. Go to the end of "Properties View Placement" list and press PLUS icon

Default Instance Permissions

[View Permissions](#)

Properties View Placement

↑	name	wide
↑	Types	wide
↑	Duration	narrow
↑	videoStreams.0.framerate	narrow
↑	audioStreams.0.samplingRate	narrow
↑	audioStreams.0.bitsPerSample	narrow
↑	In	narrow
↑	Out	narrow
↑	videoStreams.0.width	narrow
↑	videoStreams.0.height	narrow
↑	Containers	wide

Properties Edit Placement


6. From the menu select same name attribute NARROW and press the SAVE

The screenshot shows the 'Properties Edit Placement' interface. A dropdown menu is open for the 'Out' attribute, showing 'My Custom Metadata' selected. Another dropdown menu is open for 'My Custom Metadata', showing 'narrow' selected. The 'Containers' attribute is also visible with 'wide' selected.

7. Go to "Properties Edit Placement" Repeat same as point 6.

Editing metadata can be edited by selecting desired media then Actions and EDIT:

Example here illustrate how to add and modify a field called: My Custom Metadata. Attributes belonging to one media asset can be modified in the same way.




The screenshot shows a video player interface with a video thumbnail at the top. Below the player is a 'Properties' section. The 'Name' field contains 'SampleVideo_1280x720_30mb.mp4'. The 'Types' section shows 'StreamableContent-Video' with sub-types 'Streamable Content' and 'Video'. Technical details include Duration (00:02:50:21), Framerate (25), Sampling Rate (48,000), Bits Per Sample (32), Width (1,280), and Height (720). Under 'Containers', there is a 'Folder of ...' dropdown. A 'My Custom Metadata' section is active, showing a text input field with 'metadata text', a microphone icon, and a plus sign. At the bottom, a 'Relations' table is partially visible with columns: Title, Types, Created At, and User Updated At.

Title	Types	Created At	User Updated At
-------	-------	------------	-----------------

Here is our data:

SampleVideo_1280x720_30mb.mp4 (video/mp4) (StreamableContent-Video)



00:00:00:00 / 00:02:50:21 -0:00

Properties

Name
SampleVideo_1280x720_30mb.mp4

Types
StreamableContent-Video (Streamable Content, Video)

Duration: 00:02:50:21 Framerate: 25

Sampling Rate: 48,000 Bits Per Sample: 32

In: Out:

Width: 1,280 Height: 720

Containers
Folder of ...

My Custom Metadata
metadata text

Relations

Title	Types	Created At	User Updated At
-------	-------	------------	-----------------

Revision #2

Created 15 November 2024 16:55:57 by Pierre

Updated 16 November 2024 18:08:19 by Pierre